

Black Snake Antivenom

Consumer Medicine Information (CMI) summary

The [full CMI](#) on the next page has more details. If you are worried about using this medicine, speak to your doctor or pharmacist.

1. Why am I using Black Snake Antivenom?

Black Snake Antivenom contains the active ingredient black snake antivenom (equine). Black Snake Antivenom is given to people who become ill from venom after being bitten by a king brown snake or mulga snake.

For more information, see Section [1. Why am I using Black Snake Antivenom?](#) in the full CMI.

2. What should I know before being given Black Snake Antivenom?

Talk to your doctor if you have any other medical conditions, take any other medicines, or are pregnant or plan to become pregnant or are breastfeeding.

For more information, see Section [2. What should I know before being given Black Snake Antivenom?](#) in the full CMI.

3. What if I am taking other medicines?

Some medicines may interfere with Black Snake Antivenom and affect how it works.

A list of these medicines is in Section [3. What if I am taking other medicines?](#) in the full CMI.

4. How is Black Snake Antivenom given?

- Your doctor will prescribe Black Snake Antivenom if you suffer from the effects of venom from a bite from a king brown snake or mulga snake.
- The dose for both adults and children is one vial (18,000 units). The dose can be repeated as necessary.

More instructions can be found in Section [4. How is Black Snake Antivenom given?](#) in the full CMI.

5. What should I know while being given Black Snake Antivenom?

Things you should do	• Tell your doctor if you experience any side effects.
----------------------	--

For more information, see Section [5. What should I know while being given Black Snake Antivenom?](#) in the full CMI.

6. Are there any side effects?

Common side effects may include: allergic reactions, hives, rash, fever, chills and headache.

If you experience the following serious side effects, tell your doctor immediately:

- sudden signs of allergy such as rash, itching or hives on the skin, swelling of the face, lips, tongue or other parts of the body, shortness of breath, wheezing or trouble breathing
- rapid, shallow breathing, cold, clammy skin, a rapid, weak pulse, dizziness, weakness and fainting
- pinkish, itchy swellings on the skin, also called hives or nettle rash
- fever, swelling, skin rash, joint pains and swelling of the glands in the neck armpit or groin, anytime up to two weeks after the injection.
- chest pain
- high temperature.

For more information, including what to do if you have any side effects, see Section [6. Are there any side effects?](#) in the full CMI.

Black Snake Antivenom

Active ingredient: *black snake antivenom (equine)*

Consumer Medicine Information (CMI)

This leaflet provides important information about using Black Snake Antivenom. **You should also speak to your doctor or pharmacist if you would like further information or if you have any concerns or questions about using Black Snake Antivenom.**

Where to find information in this leaflet:

- [1. Why am I using Black Snake Antivenom?](#)
- [2. What should I know before being given Black Snake Antivenom ?](#)
- [3. What if I am taking other medicines?](#)
- [4. How is Black Snake Antivenom given?](#)
- [5. What should I know while being given Black Snake Antivenom?](#)
- [6. Are there any side effects?](#)
- [7. Product details](#)

1. Why am I using Black Snake Antivenom?

Black Snake Antivenom contains the active ingredient black snake antivenom (equine). Black Snake Antivenom is a snake antivenom. Antivenoms are designed to help neutralise the effect of the poison (venom) after a snake bite.

Black Snake Antivenom is used to treat people who become ill after being bitten by a king brown snake or mulga snake.

2. What should I know before being given Black Snake Antivenom?

Warnings

Black Snake Antivenom should not be given if:

- Always check the ingredients to make sure you can use this medicine although it can be an emergency life-saving product and should not be withheld from anyone who needs it.
- you have no ill effects from the bite.

Check with your doctor if you:

- have allergies to any other medicines or any other substances such as foods, preservatives or dyes.
- have allergies to animals.
- have any other medical conditions especially the following: asthma, hayfever.
- take any medicines for any other condition.

- received injections containing horse serum (including snake bite and other antivenoms, and anti-tetanus injections before 1974).

During treatment, you may be at risk of developing certain side effects. It is important you understand these risks and how to monitor for them. See additional information under Section [6. Are there any side effects?](#)

Pregnancy and breastfeeding

Check with your doctor if you are pregnant or intend to become pregnant.

Talk to your doctor if you are breastfeeding or intend to breastfeed.

3. What if I am taking other medicines?

Tell your doctor or pharmacist if you are taking any other medicines, including any medicines, vitamins or supplements that you buy without a prescription from your pharmacy, supermarket or health food shop.

Check with your doctor or pharmacist if you are not sure about what medicines, vitamins or supplements you are taking and if these affect Black Snake Antivenom.

4. How is Black Snake Antivenom given?

How much is given

The dose for both adults and children is one vial (18,000 units). The dose can be repeated as necessary.

Your doctor will take precautions to counteract any allergic reactions if they should happen.

When is Black Snake Antivenom given

Black Snake Antivenom should be used when you become ill after being bitten by a king brown snake or mulga snake.

How is Black Snake Antivenom given

This medicine is diluted and given slowly as a drip into a vein.

Once diluted Black Snake Antivenom should be used immediately. Diluted antivenom should not be stored.

Black Snake Antivenom does not contain any antimicrobial preservative. It should be used once and any residue discarded.

5. What should I know while being given Black Snake Antivenom?

When medicines are produced in animals and injected into you, it is always possible that viruses or other substances could be present in the medicine and cause an illness. These could be viruses or other infectious agents which may not yet have been discovered. In the past, there have been no reports of this ever having happened with this product.

If you have any queries about any aspect of this medicine, or questions regarding information in this leaflet, discuss them with your doctor or pharmacist.

6. Are there any side effects?

All medicines can have side effects. If you do experience any side effects, most of them are minor and temporary. However, some side effects may need medical attention.

As the injection is made from horse serum, side effects occur more commonly in those who have allergies, particularly if they have ever had injections before which were also prepared from horses. Allergic reactions can be treated by your doctor.

See the information below and, if you need to, ask your doctor or pharmacist if you have any further questions about side effects.

Less serious side effects

Less serious side effects	What to do
- local reaction around the injection site such as redness, tenderness, pain or discomfort, warmth, burning or stinging, swelling or the formation of hard lumps or scars - chills - aching muscles, muscle tenderness or weakness, not caused by exercise - stomach pain or discomfort - headache - nausea, vomiting and diarrhoea. These side effects are usually mild.	Speak to your doctor if you have any of these less serious side effects and they worry you.

Serious side effects

Serious side effects	What to do
sudden signs of allergy such as rash, itching or hives on the skin, swelling of the face, lips, tongue or other parts of the body, shortness of breath, wheezing or trouble breathing	Call your doctor straight away, or go straight to the Emergency Department at your nearest

Serious side effects	What to do
- rapid, shallow breathing, cold, clammy skin, a rapid, weak pulse, dizziness, weakness and fainting - pinkish, itchy swellings on the skin, also called hives or nettle rash - fever, swelling, skin rash, joint pains and swelling of the glands in the neck armpit or groin, anytime up to two weeks after the injection. - chest pain - High temperature These may be serious side effects. You may need urgent medical attention.	hospital if you notice any of these serious side effects.

Tell your doctor or pharmacist if you notice anything else that may be making you feel unwell.

Other side effects not listed here may occur in some people.

Do not be alarmed by this list of possible side effects.

You may not experience any of them.

Reporting side effects

After you have received medical advice for any side effects you experience, you can report side effects to the Therapeutic Goods Administration online at www.tga.gov.au/reporting-problems. By reporting side effects, you can help provide more information on the safety of this medicine.

Always make sure you speak to your doctor or pharmacist before you decide to stop taking any of your medicines.

7. Product details

This medicine is only available with a doctor's prescription.

What Black Snake Antivenom contains

Active ingredient (main ingredient)	18,000 units of Black snake antivenom
Other ingredients (inactive ingredients)	- sodium chloride - phenol - water for injections
Potential allergens	This product contains substances from horses' blood. The vial and all associated components do not contain natural rubber latex.

What Black Snake Antivenom looks like

Black Snake Antivenom is a light straw coloured, slightly viscous transparent solution in a glass vial.

AUST R 74894

Who distributes Black Snake Antivenom

Seqirus Pty Ltd, ABN 26 160 735 035

63 Poplar Road

Parkville 3052

Victoria

Australia

This leaflet was prepared in April 2026.